

According to REACH Regulation (EC) No 1907/2006, as amended by UK REACH Regulations SI 2019/758 and SI 2020/1577

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Product Name GP Cleaner 3
Trade Name GP Cleaner 3
Product code GP Cleaner 3

Unique Formula Identifier (UFI) AN23-Q0JK-C008-92F2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Industrial use only. Adhesive Applications.

Uses Advised Against Not known.

1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Anglo Adhesives & Services Ltd Address of Manufacturer Anglo House, The Airfield,

Dolby Road Melton Mowbray Leicestershire

Post Code LE13 0BL

Telephone: +44 (0) 1664 480866

### 1.4 Emergency telephone number

Emergency Phone No. +44 (0) 1664 480866 (Mon-Thurs 0830-1700, Fri 0830-1400)

NHS 111

### SECTION 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

GB CLP Regulation, UK SI 2019/720 Flam. Liq. 2: Highly flammable liquid and vapour.

and UK SI 2020/1567 Asp. Tox. 1 :May be fatal if swallowed and enters airways.

Skin Irrit. 2 :Causes skin irritation.

Eye Irrit. 2 :Causes serious eye irritation.

STOT SE 3 :May cause drowsiness or dizziness.

Repr. 2 :Suspected of damaging the unborn child.

Aquatic Chronic 2: Toxic to aquatic life with long lasting effects.

2.2 Label elements

According to GB CLP Regulations, UK SI 2019/720 and UK SI 2020/1567

Product Name GP Cleaner 3



Hazard Pictogram(s)









Signal Word(s)

Danger

Hazard Statement(s) H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness. H361d: Suspected of damaging the unborn child.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233: Keep container tightly closed.

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents in accordance with local, state or national legislation.

Unique Formula Identifier (UFI)

AN23-Q0JK-C008-92F2

2.3 Other hazards

None known.

2.4 Additional Information

For full text of H/P Statements see section 16.

# SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.



### 3.2 Mixtures

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. /	%W/W	Hazard Statement(s)	Hazard	
		Registration			Pictogram(s)	
		number(s)				
Hydrocarbons, C7, n-alkanes,		927-510-4	20-50	Flam. Liq. 2 H225	GHS02	
isoalkanes, cyclics				Asp. Tox. 1 H304	GHS08	
				Skin Irrit. 2 H315	GHS07	
				STOT SE 3 H336	GHS09	
				Aquatic Chronic 2 H411		
ethyl acetate	141-78-6	205-500-4	20-40	Flam. Liq. 2 H225	GHS02	
				Eye Irrit. 2 H319	GHS07	
				STOT SE 3 H336		
Toluene	108-88-3	203-625-9	20-50	Flam. Liq. 2 H225	GHS02	
				Asp. Tox. 1 H304	GHS08	
				Skin Irrit. 2 H315	GHS07	
				STOT SE 3 H336		
				Repr. 2 H361d		
				STOT RE 2 H373		
Hydrocarbons, C6, isoalkanes, <5%		931-254-9	10-40	Flam. Liq. 2 H225	GHS02	
n-hexane, Hydrocarbons, C6,				Asp. Tox. 1 H304	GHS08	
isoalkanes, <5% n-hexane				Skin Irrit. 2 H315	GHS07	
				STOT SE 3 H336	GHS09	
				Aquatic Chronic 2 H411		

For full text of H/P Statements see section 16.

# SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

Inhalation Remove person to fresh air and keep comfortable for breathing. Call a POISON

CENTRE/doctor if you feel unwell.

Skin Contact Take off contaminated clothing and wash it before reuse. If skin irritation occurs:

Get medical advice/attention. Specific treatment (see Medical Advice on this label). Take off immediately all contaminated clothing. Rinse skin with water. IF

exposed or concerned:

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. IF exposed or concerned: Get medical

advice/attention. If eye irritation persists:



Ingestion Do NOT induce vomiting, Immediately call a POISON CENTRE/doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

May cause irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Specific treatment (see Medical Advice on this label). Call a POISON CENTRE/doctor if you feel unwell. Treat symptomatically.

### SECTION 5: FIREFIGHTING MEASURES

### 5.1 Extinguishing media

Unsuitable extinguishing media Water jet spray

### 5.2 Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and

irritant vapours.

#### 5.3 Advice for firefighters

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

### SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure full personal protection (including respiratory protection) during removal of spillages.

#### 6.2 Environmental precautions

Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

# 6.3 Methods and material for containment and cleaning up

Adsorb spillages onto sand, earth or any suitable adsorbent material. Contain spillages with sand, earth or any suitable adsorbent material. Earth may be shovelled to contain spillage and to avoid contamination of sewers and watercourses.

#### 6.4 Reference to other sections

See Also Section 8, 13.

### SECTION 7: HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing



dust/fume/gas/mist/vapours/spray. Wash hands and exposed skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2 Conditions for safe storage, including any incompatibilities

Store locked up. Store in a well-ventilated place. Keep container tightly closed.

Keep cool.

Storage temperature Ambient.

Storage life Stable under normal conditions.

Incompatible materials None known.

7.3 Specific end use(s)

Industrial use only. Adhesive Applications.

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

#### 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits										
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note				
Ethyl acetate	141-78-6	200	734	400	1468					
Toluene	108-88-3	50	191	100	384	Sk				

Region Source

United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes

Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to

systemic toxicity.

#### 8.2 Exposure controls

 $8.2.1. \ \, \text{Appropriate engineering controls} \ \, \text{Use non-sparking ventilation systems, approved explosion-proof equipment, and} \, \,$ 

intrinsically safe electrical systems. Use with ventilation, local exhaust ventilation or breathing protection. A washing facility/water for eye and skin

cleaning purposes should be present.

8.2.2. Personal protection equipment



Eye Protection Wear eye protection with side protection (EN166).



Skin protection Wear protective clothing and gloves: Impervious gloves (EN 374).





Respiratory protection A suitable mask with filter type A (EN14387 or EN405) may be appropriate.

Thermal hazards None known.

8.2.3. Environmental Exposure Controls Spillages or uncontrolled discharges into watercourses must be alerted to the appropriate regulatory body.

# SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance Liquid.

Colour: Clear. Odour Characteristic. Odour threshold Not known. рΗ Not applicable. Melting point/freezing point Not known. Initial boiling point and boiling range 65° C -25° C Flash Point Evaporation rate Not known. Flammability (solid, gas) Not known.

Upper/lower flammability or explosive Not known.

limits

Vapour pressure Not known.
Vapour density Not known.
Density (g/ml) Not known.
Relative density 0.8 (approx.)

Solubility (ies) Solubility (Water): Not known.
Solubility (Other): Not known.

Partition coefficient: n-octanol/water Not known.

Auto-ignition temperature Not known.

Decomposition Temperature (° C) Not known.

Viscosity Not known.

Explosive properties Not known.

Oxidising properties Not known.

9.2 Other information

None.

# SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

None anticipated.

10.2 Chemical Stability



Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4 Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5 Incompatible materials

Not known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

### SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Acute toxicity - Ingestion

Acute toxicity - Skin Contact

Acute toxicity - Inhalation

Calculation method : Not classified.

Calculation method : Not classified.

Calculation method : Not classified.

Skin corrosion/irritation

Self classification: Causes skin irritation.

Serious eye damage/irritation

Self classification: Causes serious eye irritation.

Skin sensitization data

Respiratory sensitization data

Calculation method : Not classified.

Calculation method : Not classified.

Calculation method : Not classified.

Carcinogenicity

Calculation method : Not classified.

Calculation method : Not classified.

Reproductive toxicity Self classification: Suspected of damaging the unborn child.

Lactation Not classified

STOT - single exposure Self classification: May cause drowsiness or dizziness.

STOT - repeated exposure Not classified

Aspiration hazard Self classification: May be fatal if swallowed and enters airways.

11.2 Other information

Not known.

### SECTION 12: ECOLOGICAL INFORMATION

### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Toxicity - Aquatic invertebrates Not known.

Toxicity - Fish Not known.

Toxicity - Algae Not known.

Toxicity - Sediment Compartment Not classified.

Toxicity - Terrestrial Compartment Not classified.

12.2 Persistence and degradability

Not known.

12.3 Bioaccumulative potential

Not known.

### 12.4 Mobility in soil



Not known.

### 12.5 Results of PBT and vPvB assessment

Not known.

12.6 Other adverse effects

None known.

# SECTION 13: DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose of this material and its container to hazardous or special waste collection point. Dispose at suitable refuse site.

13.2 Additional Information

Disposal should be in accordance with local, state or national legislation.

# SECTION 14: TRANSPORT INFORMATION

14.1 UN number

UN No. 1993

14.2 UN proper shipping name

UN proper shipping name FLAMMABLE LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID

ADR/RID Class 3
ADR Classification Code F1

Special Provisions 274, 601, 640C

Limited Quantities 1 L
Excepted Quantities E2
Emergency Action Code •3YE
Mixed Packing Instructions for P001

Packages

Special Packing Provisions for

Packages

Mixed Packing Instructions for MP19

Packages

Packing Instructions for Portable Tanks T7

Special Provisions for Portable Tanks TP1 TP8 TP28
Tank Code for Tanks L1.5BN

Special Provisions for Tanks

Vehicle for Tank Carriage FL ADR Transport Category 2

Revision: 5



# **GP Cleaner 3**

Tunnel Restriction Code D/E

Special Provisions for Carriage -

Packages

Special Provisions for Carriage - Bulk

Special Provisions for Carriage -Loading, Unloading and Handling

Special Provisions for Carriage - S2 S20

Operation

ADR HIN 33

**IMDG** 

IMDG Class 3

Special Provisions 274, 601, 640C

Limited Quantities 1 L
Excepted Quantities E2
Mixed Packing Instructions for P001

Packages

Special Packing Provisions for

Packages

Packing Instructions for Portable Tanks T7

Special Provisions for Portable Tanks TP1 TP8 TP28 IMDG EMS F-E, S-E Stowage and Handling Category B

Segregation

Marine Pollutant

ICAO/IATA

IATA Proper Shipping Name FLAMMABLE LIQUID, N.O.S.

Excepted Quantities E2
Passenger and Cargo Aircraft Limited Y341

Quantities Packing Instructions

Passenger and Cargo Aircraft Limited 1L

Quantities Max net Qty

Passenger and Cargo Aircraft Packing 353

Instructions

Passenger and Cargo Aircraft Max net 5L

Qty

Cargo Aircraft Packing Instructions 364
Cargo Aircraft Max net Qty 60L
Special Provisions A3
Emergency Response Guidebook (ERG) 3H

Code Labels

Labels 3





14.4 Packing group

Packing group II

14.5 Environmental hazards

Environmental hazards Classified as a Marine Pollutant.

14.6 Special precautions for user

Special precautions for user Not known.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No information available

### SECTION 15: REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

United Kingdom Regulations - Authorisations and/or Restrictions On Use

UK REACH Candidate List of Not listed

Substances of Very High Concern for

Authorisation

UK REACH Authorisation List (Annex Not listed

XIV) list of substances subject to

authorisation

UK REACH Restrictions List (Annex Toluene (108-88-3), ethyl acetate (141-78-6), Hydrocarbons, C7, n-alkanes,

XVII) Restrictions on the manufacture, isoalkanes, cyclics (), Hydrocarbons, C6, isoalkanes, <5% n-hexane,

placing on the market and use of certain Hydrocarbons, C6, isoalkanes, <5% n-hexane ()

dangerous substances, mixtures and

articles

UK REACH Rolling Action Plan (RAP) Not listed
The Persistent Organic Pollutants Not listed

Regulations 2007 (SI 2007/3106) as

amended

The Ozone-Depleting Substances and Not listed

Fluorinated Greenhouse Gases

(Amendment etc.) (EU Exit) Regulations

2019 (SI 2019/583)

The Prior Informed Consent (PIC) Not listed

Regulations concerning the export and

import of hazardous chemicals SI2008/2108 as amended

European Regulations - Authorisations and/or Restrictions On Use

Community Rolling Action Plan To

Toluene (108-88-3)

(CoRAP)

15.2 Chemical Safety Assessment

United Kingdom A REACH chemical safety assessment has not been carried out.

# SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:



### **LEGEND**

Hazard Pictogram(s)









Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2 Asp. Tox. 1 : Aspiration hazard, Category 1

Skin Irrit. 2 : Skin corrosion/irritation, Category 2
Eye Irrit. 2 : Serious eye damage/irritation, Category 2

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Repr. 2: Reproductive toxicity, Category 2

STOT RE 2 : Specific target organ toxicity — repeated exposure, Category 2

Aquatic Chronic 2 : Hazardous to the aquatic environment, Chronic, Category 2

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H361d: Suspected of damaging the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statement(s)

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

 ${\tt P210: Keep \ away \ from \ heat, \ hot \ surfaces, \ sparks, \ open \ flames \ and \ other \ ignition}$ 

sources. No smoking.

P233: Keep container tightly closed.

P240: Ground and bond container and receiving equipment.

 ${\tt P241: Use\ explosion-proof\ electrical/ventilating/lighting/equipment.}$ 

P242: Use non-sparking tools.

P243: Take action to prevent static discharges.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.



P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P302+P352: IF ON SKIN: Wash with plenty of water.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P312: Call a POISON CENTRE/doctor if you feel unwell.

P321: Specific treatment (see Medical Advice on this label).

P331: Do NOT induce vomiting.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P337+P313: If eye irritation persists: Get medical advice/attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

ADN: European Agreement concerning the International Carriage of Dangerous

Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous

Goods by Road

ATE: Acute Toxicity Estimate
CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
EC: European Community

EINECS: European Inventory of Existing Commercial Chemical Substances

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO : International Civil Aviation Organization
IMDG : International Maritime Dangerous Goods

LTEL: Long term exposure limit

PBT : Persistent, Bioaccumulative and Toxic PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals RID : Regulations concerning the International Carriage of Dangerous Goods by

Acronyms



Rail

STEL: Short term exposure limit STOT: Specific Target Organ Toxicity

**UN**: United Nations

vPvB: very Persistent and very Bioaccumulative

Key literature references and sources for data used to compile the SDS Disclaimers GB CLP Regulation, UK SI 2019/720 and UK SI 2020/1567

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Anglo Adhesives & Services Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Anglo Adhesives & Services Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.