

Flex-Off Textile Film Remover

# 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product Name Textile Film Remover
Trade Name Textile Film Remover
Product code Textile Film Remover

CAS No. Mixture
EC No. Mixture
REACH Registration No. None assigned

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Identified** Use(s) Industrial use only. Adhesive Applications.

Uses Advised Against Not known.

# 1.3 Details of the supplier of the safety data sheet

Manufacturer

Company Identification Anglo Adhesives & Services Ltd.

Address of Manufacturer Anglo House The Airfield

Dalby Road,

Melton Mowbray Leicestershire

LE13 OBL

Postal code +44 (0) 1664 480866

Telephone: N/A

Fax sales@angloadhesives.co.uk

E-mail

Office hours

Supplier Dorotape
Company Identification Farndon Road
Address of Supplier Market Harborough

Postal code LE16 9NP Telephone: 01858 431642

Fax N/A

E-mail

Office hours 08.30 - 17.00 Mon-Fri

# 1.4 Emergency telephone number

Emergency Phone No. 01664 480866

Contact Office Hours (Mon-Thurs 0830-1700, Fri 0830-1400)

National response center

Address National Poisons Information Service (Birmingham Centre)

City Hospital Dudley Road, Birmingham, United Kingdom

Emergency Phone No. +00 44 (0) 8706 006 266 or NHS - 111

# 2. SECTION 2: HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. Carc. 2: Suspected of causing cancer. 1272/2008 (CLP) Skin Irrit. 2: Causes skin irritation.

STOT RE 2: May cause damage to organs through prolonged or repeated exposure.

STOT SE 3: May cause drowsiness or dizziness.



Textile Film Remover

2.2 Label elements

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name

Textile Film Remover

Hazard Pictogram(s)



Signal Word(s)

Warning

Hazard Statement(s) H315: Causes skin irritation.

> H319: Causes serious eye irritation. H351: Suspected of causing cancer.

H335-336: May cause respiratory irritation. May cause drowsiness or dizziness. H373: May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s)

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P405: Store locked up.

P501: Dispose of contents in accordance with local, state or national legislation.

2.3 Other hazards

2.4 Additional Information

For full text of H/P Statements see section 16.

# 3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT(S) CAS No. EC No. %W/W Hazard Statement(s) Hazard

> **REACH Registration** Pictogram(s)

dichloromethane methylene

chloride

75-09-2 200-838-9

70-100 Eye Irrit. 2 H319 STOT SE 3 H336

GHS07 GHS08

Carc. 2 H351

STOT RE 2 H373

## 4. SECTION 4: FIRST AID MEASURES

# 4.1 Description of first aid measures

Inhalation If breathing is difficult, remove victim to fresh air and keep at rest in a position

comfortable for breathing.

Skin Contact Wash skin with water.

Eye Contact Flush eyes with water for at least 15 minutes.

Wash out mouth with water. Ingestion

4.2 Most important symptoms and effects, both acute and

delayed

4.3 Indication of any immediate Treat symptomatically.

medical attention and special

treatment needed

# **5. SECTION 5: FIREFIGHTING MEASURES**

## 5.1 Extinguishing media

Suitable Extinguishing media As appropriate for surrounding fire.

Unsuitable extinguishing media None.

5.2 Special hazards arising from Heating may cause decomposition.

the substance or mixture

5.3 Advice for fire-fighters Fire fighters should wear complete protective clothing including self-contained

breathing apparatus.



Textile Film Remover

# **6. SECTION 6: ACCIDENTAL RELEASE MEASURES**

6.1 Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Ensure full personal protection (including

respiratory protection) during removal of spillages.

6.2 Environmental precautions Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

6.3 Methods and material for Sweep up spilled substance and remove to safe place. Use vacuum equipment

containment and cleaningup for collecting spilt materials, where practicable.

6.4 Reference to other sections See Also Section 8, 13.

# 7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.

7.2 Conditions for safe storage,

including any incompatibilities

Store locked up.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

7.3 **Specific** end use(s)

Industrial use only. Adhesive Applications.

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	SIEL (mg/m³)	Note
Dichloromethane	75-09-2	100	350	300	1060	BMGV, Sk
Remark	Footnote					
	Biological monitoring guidance values are listed.					
BMGV	Biological monitorin	g guidance value	s are listed.			
BMGV Sk	•	ough the skin. Th		nces are those fo	or which there a	are concerns that dermal absorption wil
BMGV Sk Sk	Can be absorbed thr lead to systemic toxi	ough the skin. Th city. ough the skin. Th	ne assigned substar			are concerns that dermal absorption wil

8.2.1. Appropriate engineering controls

IOELV: Indicative Occupational Exposure Limit Value

Use with ventilation, local exhaust ventilation or breathing protection.

8.2.2. Personal protection equipment

IOELV

Wear eye protection with side protection (EN166).

Eye Protection

Wear protective clothing and gloves: Impervious gloves (EN 374).

Skin protection



Textile Film Remover

Normally no personal respiratory protection is necessary.

Respiratory protection

Thermal hazards None known.

8.2.3. Environmental Exposure Controls

Spillages or uncontrolled discharges into watercourses must be alerted to the

appropriate regulatory body.

# 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

**Appearance** Liquid. Colour Clear. Odour Pungent. Odour threshold Not known. рН Not Applicable. Melting point/freezing point Not known. 35°C Boiling point/boiling range (°C):

Flash Point Not known. Flash Point Range Not known. Not known. Density (g/ml) Not known. Evaporation rate 600°C Flammability Vapour density Not known. Vapour pressure Not known. Relative density 1.3 (approx.)

Solubility (Water) Slightly miscible with water.

Solubility (Other) Not known. Partition coefficient: n-Not known.

octanol/water

600°C Auto-ignition temperature Decomposition Temperature Not known.

(°C)

Viscosity Not known. Upper/lower flammability or Not known.

explosive limits

Other information Not known.

## 10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity None anticipated.

10.2 Chemical Stability Stable under normal conditions.

10.3 Possibility of hazardous

No hazardous reactions known if used for its intended purpose.

reactions

10.4 Conditions to avoid None anticipated. 10.5 Incompatible materials Not known. 10.6 Hazardous decomposition None known.

product(s)

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute toxicity - Ingestion Not classified.



Textile Film Remover

Acute toxicity - Skin Contact Not classified.

Acute toxicity - Inhalation Not classified.

Skin corrosion/irritation Calculation method: Causes skin irritation.

Serious eye damage/irritation Calculation method: Causes serious eye irritation

Skin sensitization data Not classified.

Germ cell mutagenicity Not classified.

Carcinogenicity Calculation method: Suspected of causing cancer.

Reproductive toxicity Not classified.
Lactation Not classified.

STOT - single exposure Calculation method: May cause respiratory irritation.

STOT - repeated exposure Calculation method: May cause damage to organs through prolonged or repeated

exposure.

Aspiration hazard Not classified.

11.2 Other information Not known.

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1.1 Toxicity - Aquatic

invertebrates:

Not classified

12.1.2 Toxicity - Fish Low toxicity to fish.12.1.3 Toxicity - Algae Low toxicity to algae.

12.1.4 Toxicity - Sedimentation The substance has low mobility in sediment.

12.1.5 Toxicity - Terrestrial

Compartment

Low toxicity under normal conditions of handling and use.

12.2. Persistence and

Degradation

Not known.

12.3. Bioaccumulative potential Not known.

Not known.

12.4. Mobility in soil

NOT KITOVVII.

12.5. Results of PBT and vPvB

12.6 Other adverse effects

Not known.

assessment

Not known

# 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods Dispose of contents in accordance with local, state or national legislation. Dispose

of this material and its container to hazardous or special waste collection point.

13.2 Additional Information Disposal should be in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

#### 14.1 UNnumber

UN No. 1593

## 14.2 UN proper shipping name

UN proper shipping name DICHLOROMETHANE

# 14.3 Transport hazard class(es)

ADR/RID Class 6.1 IMDG Class 6.1

IMDG EMS Not available

08-10-2021 5 /8 <u>HazMix™</u>



Textile Film Remover

ICAO/IATA

**Excepted Quantities** Passenger and Cargo Aircraft

Limited Quantities Packing

Instructions

Passenger and Cargo Aircraft Limited Quantities Max net Qty

Passenger and Cargo Aircraft

Max net Qty

Passenger and Cargo Aircraft

Max net Qty

Cargo Aircraft Packing

Instructions

Cargo Aircraft Max net Qty Not applicable Special Provisions Not applicable

**Emergency Response** Guidebook (ERG) Code

ADR Classification Code T1 ADR HIN 60 2 **ADR Transport Category** Ε Tunnel Restriction Code

**Emergency Action Code** Not applicable APP Advice on Additional Not applicable

Personal Protection (APP)

## 14.4 Packing group

Ш Packing group 6.1 Labels



P001 IBC03 LP01 R0

Not applicable

516 Special Provisions Limited Quantities 5 I **Excepted Quantities** E1

Mixed Packing Instructions for

**Packages** 

Special Packing Provisions for

Packages

Mixed Packing Instructions for

**Packages** 

В8

MP19

#### 14.5 Environmental hazards

Environmental hazards Not known.

## 14.6 Special precautions for user

Special precautions for user Not known.

# 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code



Textile Film Remover

Packing Instructions for Portable T7

Tanks

Special Provisions for Portable TP2

Tanks

Tank Code for Tanks L4BH
Special Provisions for Tanks TU15 TE19

Vehicle for Tank Carriage AT Special Provisions for Carriage - V12

Packages

Special Provisions for Carriage - Not applicable

Bulk

Special Provisions for Carriage - CV13 CV28

Loading, Unloading and

Handling

Special Provisions for Carriage - S9

Operation

# 15. SECTION 15: REGULATORY INFORMATION

# 15.1 European Regulations

Authorisations and/or Restrictions On Use

Candidate List of Substances of All chemicals are not listed

Very High Concern for

Authorisation

REACH: ANNEX XIV list of

substances subject to

authorisation

All chemicals are not listed

REACH: ANNEX XVII restrictions Dichloromethane (75-09-2)

on the manufacture, placing on the market and use of certain

dangerous substances, preparations and articles

Community Rolling Action Plan Not known.

(CoRAP)

Regulation (EC) N° 850/2004 of Not listed

the European Parliament and of the Council on persistent

organic pollutants

Regulation (EC) N° 2037/2000 Not listed

on substances that deplete the

ozone layer

Regulation (EU) N° 649/2012 of N

the European Parliament and of the Council concerning the export and import of hazardous chemicals Not listed

### 15.2 National regulations

Other Not known.

# 16. SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements:

# Hazard Pictogram(s)



Textile Film Remover





GHS07

GHS08

Signal Word(s)

Warning

Hazard Statement(s)

H315: Causes skin irritation.

H319: Causes serious eye irritation. H351: Suspected of causing cancer.

H335-336: May cause respiratory irritation. May cause drowsiness or dizziness. H373: May cause damage to organs through prolonged or repeated exposure.

Precautionary Statement(s)

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P281: Use personal protective equipment as required.

P308+P313: IF exposed or concerned: Get medical advice/attention.

P405: Store locked up.

Designs cannot be assumed.

P501: Dispose of contents in accordance with local, state or national legislation.

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Anglo Adhesives & Services Ltd. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Anglo Adhesives & Services Ltd. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and